

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	52	73/54.42.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:24
S2	456	73/54.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:25
S3	6	S1 and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:25
S4	39	S2 and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:36
S5	2	S3 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26
S6	12	S4 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:36
S7	2	S5 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26
S8	6	S6 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:52

S9	1680	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:44
S10	934	S9 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:04
S11	1	S10 and (turbulence near4 formation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:41
S12	11	("4277971" "5377531" "5604441" "5661233" "5741961" "5798452" "5942127" "5947376" "6223589" "6253601" "6575018").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/10 16:47
S13	6	US-5947376-\$.DID. OR US-5942127-\$.DID. OR US-5661233-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:02
S14	4	S13 and heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:02
S15	1680	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:04
S16	934	S15 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:35
S17	1	S16 and (turbulence near4 formation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:49

S18	1687	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:54
S19	937	S18 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S22	1	S19 and (turbulence near4 formation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:49
S23	151	S19 and ((heater or (heating near4 element)) near6 (outside or exterior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S24	122	S23 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S25	21	S24 and ((insulating or insulator) near4 (jacket or sleeve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S26	20	S25 and (thermally near4 conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S27	20	S26 and (copper or aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:17

S28	1730	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:59
S29	959	S28 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S30	159	S29 and ((heater or (heating near4 element)) near6 (outside or exterior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S31	130	S30 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S32	29	S31 and ((insulating or insulator) near4 (jacket or sleeve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S33	20	S32 and (thermally near4 conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:55
S34	20	S33 and (copper or aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:56
S35	1730	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:48

S36	959	S35 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:55
S37	159	S36 and ((heater or (heating near4 element)) near6 (outside or exterior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:11
S38	130	S37 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:40
S39	29	S38 and ((insulating or insulator) near4 (jacket or sleeve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:40
S40	52	73/54.42.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:58
S41	456	73/54.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:58
S42	12	S40 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:58
S43	53	S41 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:58

S44	5	S40 and (temperature near4 sensor) and (flow near4 (channel or passage or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:59
S45	13	S41 and (temperature near4 sensor) and (flow near4 (channel or passage or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:59
S46	2	S44 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:00
S47	6	S45 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:03
S48	2225	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage or guide or tube))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:09
S49	1198	S48 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:10
S50	179	S49 and ((heater or (heating near4 element)) near6 (outside or exterior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:41
S51	33	S50 and ((insulating or insulator) near4 (jacket or sleeve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:10

S52	33	S51 and ((heater or (heating near4 element))) near6 (outside or exterior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:11
S53	11	("4277971" "5377531" "5604441" "5661233" "5741961" "5798452" "5942127" "5947376" "6223589" "6253601" "6575018").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/15 19:22
S54	3	S53 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:23
S55	3	S54 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:24
S56	5264	(flow near4 (channel or passage or guide)) and (temperature near4 sensor) and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:39
S57	3567	S56 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:58
S58	106	S57 and ((insulating or insulator) near4 (jacket or sleeve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:40
S59	47	S58 and ((heater or (heating near4 element))) near6 (outside or exterior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:42
S60	0	S59 and (turbulence near4 formation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:41

S61	18	S59 and ((temperature near4 sensor) near6 (flow or fluid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:43
S62	1730	S35 and ((immerse or immersing or submerge or submerging) near S40 (flow near4 (channel or passage or guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:49
S63	959	S62 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:55
S64	681	S63 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:06
S65	1730	viscosity and (temperature near4 sensor) and (flow near4 (channel or passage or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 20:10
S66	52	73/54.42.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:12
S67	1730	S65 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:27
S68	959	S67 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:06

S69	681	S68 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:28
S70	230	S69 and (measure near4 temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:11
S71	167	S70 and downstream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:31
S72	12444	viscosity and (heater or heat or (heat near4 source)) and (flow near4 (channel or passage or guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:26
S73	23251	viscosity and (heater or heat or (heat near4 source)) and (flow near4 (channel or passage or guide or tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:33
S74	2268	S73 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:33
S75	2268	S74 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14
S76	1465	S75 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14

S77	102	S76 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:34
S78	3	S77 and (constant near6 diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:29
S79	19	S77 and (thermally near6 conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:32
S80	45	S77 and (aluminum or copper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:35
S81	8655	viscosity and (heater or (heat near4 source)) and (flow near4 (channel or passage or guide or tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:18
S82	1460	S81 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:33
S83	1460	S82 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:34
S84	991	S83 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:34

S85	82	S84 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14
S86	45	S85 and (aluminum or copper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:35
S87	456	73/54.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:12
S88	52	73/54.42.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:13
S89	531	73/53.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:13
S90	24	S87 and (temperature near4 sensor) and (flow near4 (channel or passage or guideor tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:13
S91	5	S88 and (temperature near4 sensor) and (flow near4 (channel or passage or guideor tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:44
S92	19	S89 and (temperature near4 sensor) and (flow near4 (channel or passage or guideor tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:13

S93	24	S90 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:19
S94	5	S91 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14
S95	19	S92 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14
S96	10	S93 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:17
S97	1	S94 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:31
S98	12	S95 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14
S99	0	S96 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:20
S100	0	S97 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:15

S10 1	1	S98 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:15
S10 2	9	S90 and (heater or (heat near4 source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:37
S10 3	2	S91 and (heater or (heat near4 source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:18
S10 4	9	S92 and (heater or (heat near4 source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:37
S10 5	9	S102 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:45
S10 6	2	S103 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:19
S10 7	9	S104 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:19
S10 8	5	S105 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:20

S10 9	0	S106 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:19
S11 0	4	S107 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:24
S11 1	0	S108 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:20
S11 2	1	S110 and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:20
S11 3	1455	viscometer and (flow near4 (channel or passage or guide or tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 20:06
S11 4	290	S113 and (heater or (heat near4 (element or source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:30
S11 5	49	S114 and (temperature near4 sensor) and (flow near4 (channel or passage or guide or tube or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:44
S11 6	49	S115 and ((immerse or immersing or submerge or submerging) near S66 (flow near4 (channel or passage or guide or tube or path)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:45

S11 7	3	S115 and (immerse or immersing or submerge or submerging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:45
S11 8	1	"4403502".PN.	USPAT; USOCR	OR	OFF	2005/02/16 18:49
S11 9	0	S118 and (heater or (heat near4 (element or source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:50
S12 0	9	S90 and (heater or (heat near4 (element or source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:43
S12 1	5	S120 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:43
S12 2	1	S121 and downstream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:31
S12 3	2	S91 and (heater or (heat near4 (element or source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:45
S12 4	9	S92 and (heater or (heat near4 (element or source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:48
S12 5	0	S123 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:43

S12 6	4	S124 and inlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:43
S12 7	20	viscometer and memory and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 20:09
S12 8	31	viscometer and (look near6 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 20:10
S12 9	8	S128 and (flow near4 (channel or passage or guide or path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 20:10
S13 1	465	73/54.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:25
S13 2	55	73/54.42.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:25
S13 3	7	S132 and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:45
S13 5	43	S131 and (flow near4 (channel or passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26

S13 6	3	S133 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26
S13 7	14	S135 and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:26
S13 8	3	S136 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:45
S13 9	7	S137 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:29
S14 0	1	S138 and convection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 18:28
S14 1	0	S139 and convection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:46
S14 2	33441	(flow near4 (channel or passage)) and (heater or (heating near4 element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:45
S14 3	5548	S142 and (temperature near4 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:46

S14 4	832	S143 and convection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:46
S14 5	231	S144 and (viscosity or viscometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 20:47